

chapter 15

task models



An Example

- in order to clean the house
 - get the vacuum cleaner out
 - fix the appropriate attachments
 - clean the rooms
 - when the dust bag gets full, empty it
 - put the vacuum cleaner and tools away
- must know about:
 - vacuum cleaners, their attachments, dust bags, cupboards, rooms etc.



What is Task Analysis?

Methods to analyse people's jobs:

- what people do
- what things they work with
- what they must know



Approaches to task analysis

- Task decomposition
 - splitting task into (ordered) subtasks
- Knowledge based techniques
 - what the user knows about the task and how it is organised
- Entity/object based analysis
 - relationships between objects, actions and the people who perform them
- lots of different notations/techniques



general method

- observe
- collect unstructured lists of words and actions
- organize using notation or diagrams



Task Decomposition

Aims:

describe the actions people do structure them within task subtask hierarchy describe order of subtasks

Variants:

Hierarchical Task Analysis (HTA)
most common
CTT (CNUCE, Pisa)
uses LOTOS temporal operators

Differences from other techniques



Systems analysis vs. Task analysis

system design - focus - the user

Cognitive models vs. Task analysis

internal mental state - focus - external actions

practiced `unit' task - focus - whole job





Textual HTA description


Hierarchy description ...

- 0. in order to clean the house
 - 1. get the vacuum cleaner out
 - 2. get the appropriate attachment
 - 3. clean the rooms
 - 3.1. clean the hall
 - 3.1. clean the nan
 - 3.2. clean the living rooms3.3. clean the bedrooms
 - 4. empty the dust bag
 - 5. put vacuum cleaner and attachments away

... and plans

Plan 0: do 1 - 2 - 3 - 5 in that order. when the dust bag gets full do 4 Plan 3: do any of 3.1, 3.2 or 3.3 in any order depending on which rooms need cleaning

N.B. only the plans denote order




HUMAN-COMPUTER

- 1 get list of tasks
- 2 group tasks into higher level tasks
- 3 decompose lowest level tasks further

Stopping rules

How do we know when to stop? Is "empty the dust bag" simple enough? Purpose: expand only relevant tasks Motor actions: lowest sensible level







HUMAN-COMPUTER

Tasks as explanation

- imagine asking the user the question: what are you doing now?
- for the same action the answer may be:

typing ctrl-B making a word bold emphasising a word editing a document writing a letter preparing a legal case

Refining the description


Given initial HTA (textual or diagram) How to check / improve it?

Some heuristics:

paired actions e.g., where is `turn on gas' restructure e.g., generate task `make pot'

balance e.g., is 'pour tea' simpler than making pot?

generalise e.g., make one cup or more



Knowledge Based Analyses

HUMAN-COMPUTER
INTERACTION

Focus on:

Objects – used in task

Actions - performed

+ Taxonomies - represent levels of abstraction



HUMAN-COMPUTER INTERACTION

Types of plan

fixed sequence

- 1.1 then 1.2 then 1.3

optional tasks

- if the pot is full 2

wait for events

- when kettle boils 1.4

cycles

- do 5.1 5.2 while there are still empty cups

,

- do 1; at the same time ...

time-sharing discretionary

- do any of 3.1, 3.2 or 3.3 in any order

mixtures

- most plans involve several of the above

HUMAN-COMPUTER
INTERACTION

Knowledge-Based Example ...

```
motor controls
steering steering wheel, indicators
engine/speed
direct ignition, accelerator, foot brake
gearing clutch, gear stick
lights
external headlights, hazard lights
internal courtesy light
wash/wipe
wipers front wipers, rear wipers
washers front washers, rear washers
heating temperature control, air direction,
fan, rear screen heater
parking hand brake, door lock
radio numerous!
```



Task Description Hierarchy

Three types of branch point in taxonomy:

- XOR normal taxonomy object in one and only one branch
- AND object must be in both multiple classifications
- OR weakest case can be in one, many or none

```
wash/wipe AND
function XOR
wipe front wipers, rear wipers
wash front washers, rear washers
position XOR
front front wipers, front washers
rear wipers, rear washers
```

HUMAN-COMPUTER INTERACTION

More on TDH

Uniqueness rule:

- can the diagram distinguish all objects?

e.g., plate is:


kitchen item/shape(flat)/function{preparation,dining(for food)}/
nothing else fits this description

Actions have taxonomy too:

```
kitchen job OR

|____ preparation beating, mixing
|___ cooking frying, boiling, baking
|__ dining pouring, eating, drinking
```

Larger TDH example



N.B. \'/ | {' used for branch types.

HUMAN-COMPUTER INTERACTION

HUMAN-COMPUTER

INTERACTION

Entity-Relationship Techniques

Focus on objects, actions and their relationships

Similar to OO analysis, but ...

- includes non-computer entities
- emphasises domain understanding not implementation

Running example

'Vera's Veggies' – a market gardening firm owner/manager: Vera Bradshaw employees: Sam Gummage and Tony Peagreen various tools including a tractor `Fergie' two fields and a glasshouse new computer controlled irrigation system



Objects

Start with list of objects and classify them:

Concrete objects:

simple things: spade, plough, glasshouse

Actors:

human actors: Vera, Sam, Tony, the customers what about the irrigation controller?

Composite objects:

sets: the team = Vera, Sam, Tony
tuples: tractor may be < Fergie, plough >



Actions

List actions and associate with each:

agent – who performs the actions

patient – which is changed by the action
instrument – used to perform action

examples:

Sam (agent) planted (action) the leeks (patient)
Tony dug the field with the spade (instrument)



Attributes

To the objects add attributes:

Object Pump3 **simple** – irrigation pump **Attributes**:

status: on/off/faulty capacity: 100 litres/minute

N.B. need not be computationally complete



Actions (ctd)

implicit agents – read behind the words `the field was ploughed' – by whom?

indirect agency - the real agent?
 `Vera programmed the controller to irrigate the field'

messages – a special sort of action `Vera *told* Sam to ... '

rôles – an agent acts in several rôles Vera as *worker* or as *manager*



example - objects and actions

Object Sam human actor Actions:

S1: drive tractor S2: dig the carrots

Object Vera human actor

- the proprietor

Actions: as worker

V1: plant marrow seed V2: program irrigation controller

Actions: as manager

V3: tell Sam to dig the carrots

Object the men composite Comprises: Sam, Tony

Object glasshouse simple Attribute:

humidity: 0-100%

Object Irrigation Controller non-human actor

Actions:

IC1: turn on Pump1 IC2: turn on Pump2 IC3: turn on Pump3

Object Marrow simple

Actions:

M1: germinate M2: grow

INTERACTION

Relationships

· object-object

social - Sam is subordinate to Vera spatial - pump 3 is in the glasshouse

action-object

agent (listed with object) patient and instrument

actions and events

temporal and causal

'Sam digs the carrots because Vera told him'

temporal relations

use HTA or dialogue notations. show task sequence (normal HTA) show object lifecycle







Events

... when something happens

- performance of action 'Sam dug the carrots'
- spontaneous events

'the marrow seed germinated' 'the humidity drops below 25%'

· timed events

'at midnight the controller turns on'





example - events and relations

Events:

Ev1: humidity drops below 25% Ev2: midnight

Relations: object-object

location (Pump3, glasshouse) location (Pump1, Parker's Patch)

Relations: action-object patient (V3, Sam) - Vera tells Sam to dig

patient (S2, the carrots) - Sam digs the carrots ... instrument (S2, spade)

- ... with the spade

Relations: action-event

before (V1, M1)

 the marrow must be sown before it can germinate

triggers (Ev1, IC3)

- when humidity drops below 25%, the controller turns on pump 3

causes (V2, IC1)

- the controller turns on the pump because Vera programmed it



Sources of Information

Documentation

 N.B. manuals say what is supposed to happen but, good for key words and prompting interviews

Observation

- formal/informal, laboratory/field (see Chapter 9)

Interviews

- the expert: manager or worker? (ask both!)

HUMAN-COMPUTEI

Uses - manuals & documentation

To make cups of tea

boil water - see page 2

pour tea - see page 4

— page 1 —

empty pot make pot — see page 3


Conceptual Manual

- from knowledge or entity-relations based analysis
- good for open ended tasks

Procedural 'How to do it' Manual

- from HTA description
- good for novices
- assumes all tasks known

Make pot of tea once water has boiled warm pot put tea leaves in pot pour in boiling water — page 3 —





Extraction from transcripts

- list nouns (objects) and verbs (actions)
- beware technical language and context: `the rain poured' vs. `I poured the tea'

Sorting and classifying

- grouping or arranging words on cards
- ranking objects/actions for task relevance (see ch. 9)
- use commercial outliner

Iterative process:

... but costly, so use cheap sources where available



Uses - requirements & design

Requirements capture and systems design

- lifts focus from system to use
- suggests candidates for automation
- uncovers user's conceptual model

Detailed interface design

- taxonomies suggest menu layout
- object/action lists suggest interface objects
- task frequency guides default choices
- existing task sequences guide dialogue design

NOTE. task analysis is never complete

- rigid task based design ⇒ inflexible system